



Dumb-waiter

Elegant and ultra efficient.
Meet the DUMBWAITER that makes serving and cleaning up fast and effortless.

At Vision Elevators, we strive to provide well-manufactured dumbwaiters that are aesthetically pleasing and ensure maximum functional efficiency and safety. Our dumbwaiters can be used wherever there is a need to move small quantities of goods from one level to another and are perfect for restaurants, libraries, hotels and many other industries.



VISION
ELEVATORS



We go further

Dumb-waiter




PRODUCTS USE SPECIFICATIONS

PRODUCT	DW1		DW2		DW3		
Use							
Specifications	Capacity	100kg		200kg		300kg	
	Drive Type	Drum Drive					
	Machine Room	No					
	Speed	0.1m/s – 0.3m/s					
	Max Travel	20m					
	Max Stops	7					
	Door Operation	Manual					
	Car Entrances	Inline, Opposite, Adjacent					
	Max Car Entrances	3					
	Car Door Type	Roller Shutter	Bi-Parting	Roller Shutter	Bi-Parting	Roller Shutter	Bi-Parting
	Car Door Finish	Aluminium	Mild Steel Stainless Steel	Aluminium	Mild Steel Stainless Steel	Aluminium	Mild Steel Stainless Steel
	Landing Door Type	Swing Door Roller Shutter	Bi-Parting	Swing Door Roller Shutter	Bi-Parting	Swing Door Roller CAP Gate	Bi-Parting
	Landing Door Finish	Aluminium Mild Steel Stainless Steel	Mild Steel Stainless Steel	Aluminium Mild Steel Stainless Steel	Mild Steel Stainless Steel	Aluminium Stainless Steel	Mild Steel Stainless Steel
Shaft Size (mm)	Serving Height	Floor Level	800	Floor Level	800	Floor Level	800
	Width	1200	1200	1400	1400	1700	1700
	Depth	1100	1100	1300	1300	1500	1500
	Headroom	2800	2800	3000	3000	3400	3400
	Pit Depth	300	n/a	300	n/a	300	n/a
Car Size (mm)	Door Opening	800	800	1000	1000	1200	1200
	Width	800	800	1000	1000	1200	1200
	Depth	800	800	1000	1000	1200	1200
	Car Height	800	800	1000	1000	1200	1200
Chart Key	Passenger Wheelchair Light Goods Goods						

* Other shaft and car sizes available. Custom made to suit any requirements.

LAYOUT DRAWINGS



OTHER INFORMATION:

Serving Height Options

- Floor level - requires pit
- Counter level - no pit required

Opening options on car

- Inline - one opening on car
- Opposite - two openings on car positioned opposite one another
- Adjacent - two openings on car positioned adjacent to one another





Tel: 0860 105 727 Fax: 0866 105 575 | info@visionelevators.co.za | www.visionelevators.co.za